AUTHOR INDEX

Volume 77 • 1998

Abe, K. *See* Chang, M.
Abe, M. and Saito, K.
MKC-242 in irritable bowel syndrome model 211
Abiko, Y. *See* Matsumura, H.
Adachi, H. and Nishino, M.
Coronary dilation by E4021 99
Adachi, T. *See* Yokota, S.
Aimi, N. *See* Leewanich, P.
Akaike, A. *See* Maeda, T.
—— *See* Sakurai, E.
Asakura, W. *See* Okamoto, T.
Asano, T. *See* Take, H.
Asoh, M. *See* Kumai, T.
Auger-Pourmarin, L., Roubert, P. and Chabrier, P.E.
Endothelin receptors in rat prostate 307
Awaji, T. *See* Take, H.

Baba, J. *See* Ohsawa, F.

Chabrier, P.E. *See* Auger-Pourmarin, L.
Chang, M., Saito, H. and Abe, K.
H_3 inhibition of hippocampal excitation 251

Domino, E.F., Ni, L., Zhang, H., Kohno, Y. and Sasa, M.
Talipexole in chronic hemiparkinsonism 227

Funatsu, T. *See* Suzuki, M.
Furukawa, O., Matsui, H., Suzuki, N. and Okabe, S.
TGF-α inhibits gastric epithelial cell damage 173
Fushimi, K. *See* Matsubara, S.

Hara, A. *See* Matsumura, H.
Hara, K. *See* Okamoto, T.
Hashimoto, H. *See* Kachi, S.
Hashizume, H. *See* Matsumura, H.
Hata, F. *See* Nishiwaki, H.
Hayashi, J. *See* Nasa, Y.
Hayashi, M. *See* Nasa, Y.
Helmeste, D.M. and Tang, S.W.
Calcium and the affective disorders 107
Hirasawa, A. *See* Take, H.
Honda, H., Yamaguchi, K. and Kogo, H.
17β-Estradiol alters vasodilation 311
Hosoki, K. *See* Yoshikawa, T.

Ibi, M. *See* Maeda, T.
Ikegaki, I. *See* Take, H.
Ikezawa, K. *See* Matsubara, S.
Ishiyama, N. *See* Kanno, K.
Isohama, Y. *See* Takahashi, K.
Iwasaki, T. *See* Shibuya, J.

Kachi, S., Terada, M. and Hashimoto, H.
Amorphous and polymorphs of PF1022A 235
Kai, H. *See* Takahashi, K.
Kanaki, T. *See* Kitahara, M.
Kaneko, H. *See* Masuda, Y.
Kaneko, S. *See* Sakurai, E.
Kanno, K., Okumura, F., Toriumi, W., Ishiyama, N., Nishiyama, S. and Naito, K.
A model to evaluate antinephritic agents 129
Kashima, K. *See* Tatsumi, Y.
Katsura, M. *See* Tatsumi, Y.
Kawamoto, H. *See* Watanabe, Hiroshi
Kikkawa, H. *See* Matsubara, S.
Kimura, C. *See* Seki, T.
Kitahara, M., Kanaki, T., Toyoda, K., Miyakoshi, C., Tanaka, S., Tamaki, T. and Saito, Y.
NK-104 on fibronectin in intimal thickening 117
Kobayashi, S. *See* Kumai, T.
Kobayashi, T. *See* Okamoto, T.
Kodama, T. *See* Tatsumi, Y.
Kogo, H. *See* Honda, H.
Kohno, Y. *See* Domino, E.F.
Kumai, T., Tanaka, M., Tateishi, T., Asoh, M. and Kobayashi, S.
SNP and catecholamine synthesis 205

Leewanich, P., Tohda, M., Matsumoto, K., Subhadhirasakul, S., Takayama, H., Aimi, N. and Watanabe, Hiroshi
Corymine-related compounds and glycine receptor 169

Maeda, T. *See* Sakurai, E.
Maeda, T., Ibi, M., Shimazu, S. and Akaike, A.
NMDA neurotoxicity in slice culture 161
Maekawa, M., Murayama, T., Ono, S., Narita, Hirokazu and Nomura, Y.
NA release from rat brain slices by T-588 155
Maruyama, K. *See* Matsumura, H.
Mašek, K. *See* Ševčík, J.
Masuda, Y., Oguma, T. and Kaneko, H.
Hepatic flow disturbance by ET-1 315
Matsubara, S., Fushimi, K., Kikkawa, H., Naito, K. and Ikezawa, K.
Sephadex-induced AHR and inflammation 89
Matsui, H. *See* Furukawa, O.
Matsumoto, K. *See* Leewanich, P.
Matsumura, H., Hara, A., Hashizume, H., Maruyama, K. and Abiko, Y.
Ranolazine on H_2O_2-induced damage 31
Minami, M. *See* Seki, T.
Mine, Y. *See* Yoshikawa, T.
Miyakoshi, C. *See* Kitahara, M.
Miyata, K. *See* Yamano, M.
Miyata, T. *See* Takahashi, K.
Mizuno, H. *See* Takahashi, K.
Murakami, S. *See* Ohsawa, F.
Murakami, T. *See* Ohsaka, Y.
Muraki, T. *See* Tsukahara, F.
Murayama, T. *See* Maekawa, M.

Nagaoka, S. *See* Takahashi, K.
Nagaso, H. *See* Ohsawa, F.
Naito, K. *See* Kanno, K.
—— *See* Matsubara, S.
Naito, Y. *See* Yokota, S.
Nakagawa, T. *See* Seki, T.
Nakamura, K. *See* Shibuya, J.
Nakano, Y. *See* Okamoto, T.
Narita, Hirokazu *See* Maekawa, M.
Narita, Hiroshi *See* Yokota, S.

AUTHOR INDEX

Volume 77 • 1998

Abe, K. *See* Chang, M.
Abe, M. and Saito, K.
MKC-242 in irritable bowel syndrome model 211
Abiko, Y. *See* Matsumura, H.
Adachi, H. and Nishino, M.
Coronary dilation by E4021 99
Adachi, T. *See* Yokota, S.
Aimi, N. *See* Leewanich, P.
Akaike, A. *See* Maeda, T.
—— *See* Sakurai, E.
Asakura, W. *See* Okamoto, T.
Asano, T. *See* Take, H.
Asoh, M. *See* Kumai, T.
Auger-Pourmarin, L., Roubert, P. and Chabrier, P.E.
Endothelin receptors in rat prostate 307
Awaji, T. *See* Take, H.

Baba, J. *See* Ohsawa, F.

Chabrier, P.E. *See* Auger-Pourmarin, L.
Chang, M., Saito, H. and Abe, K.
H_3 inhibition of hippocampal excitation 251

Domino, E.F., Ni, L., Zhang, H., Kohno, Y. and Sasa, M.
Talipexole in chronic hemiparkinsonism 227

Funatsu, T. *See* Suzuki, M.
Furukawa, O., Matsui, H., Suzuki, N. and Okabe, S.
TGF-α inhibits gastric epithelial cell damage 173
Fushimi, K. *See* Matsubara, S.

Hara, A. *See* Matsumura, H.
Hara, K. *See* Okamoto, T.
Hashimoto, H. *See* Kachi, S.
Hashizume, H. *See* Matsumura, H.
Hata, F. *See* Nishiwaki, H.
Hayashi, J. *See* Nasa, Y.
Hayashi, M. *See* Nasa, Y.
Helmeste, D.M. and Tang, S.W.
Calcium and the affective disorders 107
Hirasawa, A. *See* Take, H.
Honda, H., Yamaguchi, K. and Kogo, H.
17β-Estradiol alters vasodilation 311
Hosoki, K. *See* Yoshikawa, T.

Ibi, M. *See* Maeda, T.
Ikegaki, I. *See* Take, H.
Ikezawa, K. *See* Matsubara, S.
Ishiyama, N. *See* Kanno, K.
Isohama, Y. *See* Takahashi, K.
Iwasaki, T. *See* Shibuya, J.

Kachi, S., Terada, M. and Hashimoto, H.
Amorphous and polymorphs of PF1022A 235
Kai, H. *See* Takahashi, K.
Kanaki, T. *See* Kitahara, M.
Kaneko, H. *See* Masuda, Y.
Kaneko, S. *See* Sakurai, E.
Kanno, K., Okumura, F., Toriumi, W., Ishiyama, N., Nishiyama, S. and Naito, K.
A model to evaluate antinephritic agents 129
Kashima, K. *See* Tatsumi, Y.
Katsura, M. *See* Tatsumi, Y.
Kawamoto, H. *See* Watanabe, Hiroshi
Kikkawa, H. *See* Matsubara, S.
Kimura, C. *See* Seki, T.
Kitahara, M., Kanaki, T., Toyoda, K., Miyakoshi, C., Tanaka, S., Tamaki, T. and Saito, Y.
NK-104 on fibronectin in intimal thickening 117
Kobayashi, S. *See* Kumai, T.
Kobayashi, T. *See* Okamoto, T.
Kodama, T. *See* Tatsumi, Y.
Kogo, H. *See* Honda, H.
Kohno, Y. *See* Domino, E.F.
Kumai, T., Tanaka, M., Tateishi, T., Asoh, M. and Kobayashi, S.
SNP and catecholamine synthesis 205

Leewanich, P., Tohda, M., Matsumoto, K., Subhadhirasakul, S., Takayama, H., Aimi, N. and Watanabe, Hiroshi
Corymine-related compounds and glycine receptor 169

Maeda, T. *See* Sakurai, E.
Maeda, T., Ibi, M., Shimazu, S. and Akaike, A.
NMDA neurotoxicity in slice culture 161
Maekawa, M., Murayama, T., Ono, S., Narita, Hirokazu and Nomura, Y.
NA release from rat brain slices by T-588 155
Maruyama, K. *See* Matsumura, H.
Mašek, K. *See* Ševčík, J.
Masuda, Y., Oguma, T. and Kaneko, H.
Hepatic flow disturbance by ET-1 315
Matsubara, S., Fushimi, K., Kikkawa, H., Naito, K. and Ikezawa, K.
Sephadex-induced AHR and inflammation 89
Matsui, H. *See* Furukawa, O.
Matsumoto, K. *See* Leewanich, P.
Matsumura, H., Hara, A., Hashizume, H., Maruyama, K. and Abiko, Y.
Ranolazine on H_2O_2-induced damage 31
Minami, M. *See* Seki, T.
Mine, Y. *See* Yoshikawa, T.
Miyakoshi, C. *See* Kitahara, M.
Miyata, K. *See* Yamano, M.
Miyata, T. *See* Takahashi, K.
Mizuno, H. *See* Takahashi, K.
Murakami, S. *See* Ohsawa, F.
Murakami, T. *See* Ohsaka, Y.
Muraki, T. *See* Tsukahara, F.
Murayama, T. *See* Maekawa, M.

Nagaoka, S. *See* Takahashi, K.
Nagaso, H. *See* Ohsawa, F.
Naito, K. *See* Kanno, K.
—— *See* Matsubara, S.
Naito, Y. *See* Yokota, S.
Nakagawa, T. *See* Seki, T.
Nakamura, K. *See* Shibuya, J.
Nakano, Y. *See* Okamoto, T.
Narita, Hirokazu *See* Maekawa, M.
Narita, Hiroshi *See* Yokota, S.

Nasa, Y., Hayashi, M., Sasaki, H., Hayashi, J. and Takeo, S.
Effect of EPA on hypoxic cardiomyocytes 137
Ni, L. *See* Domino, E.F.
Nishino, M. *See* Adachi, H.
Nishio, H. *See* Nishiwaki, H.
Nishiwaki, H., Saitoh, N., Nishio, H., Takeuchi, T. and Hata, F.
Autoinhibition and mu-receptors 279
Effect of morphine on ACh release 271
Nishiyama, S. *See* Kanno, K.
Nomura, Y. *See* Maekawa, M.

Ogawa, A. *See* Tsukahara, F.
Oguma, T. *See* Masuda, Y.
Ohara, N. *See* Yokota, S.
Ohba, K. *See* Tsukahara, F.
Ohno, H. *See* Takahashi, K.
Ohsaka, Y., Murakami, T., Yoshida, T. and Tokumitsu, Y.
Function of β_3-adrenergic agonists 41
Ohsawa, F., Yamauchi, M., Nagaso, H., Murakami, S., Baba, J. and Sawa, A.
Rolipram high sensitive PDE_4 in rat brain 147
Ohyanagi, M. *See* Shibuya, J.
Okabe, S. *See* Furukawa, O.
Okamoto, T. and Kobayashi, T.
Con A-induced liver cytokine mRNA 261
Okamoto, T., Kobayashi, T., Tsuzuike, N. and Hara, K.
ICE and CPP32 proteases 257
Okamoto, T., Nakano, Y., Asakura, W., Kobayashi, T., Tsuzuike, N. and Hara, K.
Cytokine mRNA expression 219
Okuma, S. *See* Tatsumi, Y.
Okumura, F. *See* Kanno, K.
Okuyama, H. *See* Yoshida, S.
Ono, S. *See* Maekawa, M.
Özkan, E.D. and Ueda, T.
Glutamate transport in synaptic vesicles 1

Roubert, P. *See* Auger-Pourmarin, L.
Růžička, V. *See* Ševčík, J.

Saito, H. *See* Chang, M.
Saito, K. *See* Abe, M.
Saito, Y. *See* Kitahara, M.
Saitoh, N. *See* Nishiwaki, H.
Sakurai, E., Maeda, T., Kaneko, S., Akaike, A. and Satoh, M.
[Arg^8]-Vasopressin on LTP 103
Sasa, M. *See* Domino, E.F.
—— *See* Watanabe, Hiroshi
Sasaki, H. *See* Nasa, Y.
Sato, A. *See* Yoshida, S.
Satoh, M. *See* Sakurai, E.
—— *See* Seki, T.
Sawa, A. *See* Ohsawa, F.
Seki, T., Minami, M., Kimura, C., Uehara, T., Nakagawa, T. and Satoh, M.
Opioid binding to mutant nociceptin receptor 301
Ševčík, J., Růžička, V., Slánský, J., Šmejkal, J. and Mašek, K.
5-HT_3 colon relaxation and nitric oxide 265
Shibata, K. *See* Take, H.
Shibuya, J., Ohyanagi, M., Nakamura, K., Yamamoto, J. and Iwasaki, T.
Gs protein in failing hearts 23
Shimazu, S. *See* Maeda, T.
Slánský, J. *See* Ševčík, J.
Šmejkal, J. *See* Ševčík, J.
Subhadhirasakul, S. *See* Leewanich, P.
Suzuki, M., Funatsu, T., Tanaka, H. and Usuda, S.
YM866 improves left ventricular function 177
Suzuki, N. *See* Furukawa, O.

Takahama, K. *See* Takahashi, K.
Takahashi, K., Mizuno, H., Ohno, H., Kai, H., Isohama, Y., Takahama, K., Nagaoka, S. and Miyata, T.
Goblet cells in rat tracheal epithelium 71
Takayama, H. *See* Leewanich, P.
Take, H., Shibata, K., Awaji, T., Hirasawa, A., Ikegaki, I., Asano, T., Takeda, T. and Tsujimoto, G.
α_1-Adrenoceptor and postural hypotension 61
Takeda, T. *See* Take, H.
Takeo, S. *See* Nasa, Y.
Takeuchi, T. *See* Nishiwaki, H.
Tamaki, T. *See* Kitahara, M.
Tanaka, H. *See* Suzuki, M.
Tanaka, M. *See* Kumai, T.
Tanaka, S. *See* Kitahara, M.
Tang, S.W. *See* Helmeste, D.M.
Tanino, M. *See* Tatsumi, Y.
Tateishi, T. *See* Kumai, T.
Tatsumi, Y., Tanino, M., Kodama, T., Kashima, K., Katsura, M. and Okuma, S.
Irsogladine and mucosal hydrophobicity 293
Terada, M. *See* Kachi, S.
Tohda, M. *See* Leewanich, P.
Tokumitsu, Y. *See* Ohsaka, Y.
Toriumi, W. *See* Kanno, K.
Toyoda, K. *See* Kitahara, M.
Tsujimoto, G. *See* Take, H.
Tsukahara, F., Uchida, Y., Ohba, K., Ogawa, A., Yoshioka, T. and Muraki, T.
UCP gene expression in MSG-obese mice 247
Tsuru, H. *See* Watanabe, Hiroshi
Tsuzuike, N. *See* Okamoto, T.

Uchida, Y. *See* Tsukahara, F.
Ueda, T. *See* Özkan, E.D.
Uehara, T. *See* Seki, T.
Usuda, S. *See* Suzuki, M.

Watanabe, Hiroshi *See* Leewanich, P.
Watanabe, Hiroshi, Tsuru, H., Yajin, K., Kawamoto, H. and Sasa, M.
Cold exposure and NO-mediated vasodilatation 287

Yajin, K. *See* Watanabe, Hiroshi
Yamada, T. *See* Yamano, M.
Yamaguchi, K. *See* Honda, H.
Yamamoto, J. *See* Shibuya, J.
Yamano, M., Miyata, K. and Yamada, T.
Involvement of elastase in pancreatitis 193
Pancreatic enzyme-induced pancreatitis 185
Yamauchi, M. *See* Ohsawa, F.
Yokota, S., Naito, Y., Yoshida, H., Ohara, N., Adachi, T. and Narita, Hiroshi
Imidapril and amlodipine on SHR's heart 79
Yoshida, H. *See* Yokota, S.
Yoshida, N. *See* Yoshikawa, T.
Yoshida, S., Sato, A. and Okuyama, H.
Dietary fatty acids and neural systems 11
Yoshida, T. *See* Ohsaka, Y.
Yoshikawa, T., Yoshida, N., Mine, Y. and Hosoki, K.
Affinity of mosapride for 5-HT_4 receptor 53
Yoshioka, T. *See* Tsukahara, F.

Zhang, H. *See* Domino, E.F.

SUBJECT INDEX

Volume 77 • 1998

Acetylcholine release 271, 279
Acridine orange staining in vivo 315
Acute pancreatitis 185, 193
Adrenal medulla 205
α_1-Adrenoceptor 61
β_3-Adrenoceptor agonist 41
β-Adrenoceptor mRNA 41
Adriamycin 23
Affective disorder 107
Airway hyperresponsiveness 89
γ-Aminobutyric acid current 169
Amlodipine 79
Amorphous 235
Angiostrongylus costaricensis 235
Anthelmintic 235
Antinephritic agent 129
Arachidonic acid 11
[Arg^8]-vasopressin 103
Atherosclerosis 117

BIO 53.58 hamster 23
Brain 147
Bremazocine 301
Brown adipose tissue 247

Calcium 107
cAMP accumulation 41
Cardiac function 79
Cardiac hypertrophy 79
Cardiomyocyte 137
Catecholamine 205
Cell protection 173
Cerebral cortical slice 155
Cerulein 193
Chimeric receptor 301
Chronic hemiparkinsonism (monkey) 227
Cirrhotic liver 315
Closed duodenal loop 193
Cold exposure 287
Concanavalin A 219, 257, 261
Conscious pig 99
Coronary artery thrombosis 177
Coronary diameter 99
Corymine-related compound 169
CPP32 257
Cyclosporin A 89
Cysteine derivative 71
Cytochrome P-450 311
Cytokine mRNA 219, 261

Defecation 211
Dentate gyrus 251
2-Deoxyglucose uptake 41
Desipramine 155
Dexamethasone 89
Dichloroacetate 31
Docosahexaenoic acid (DHA) 11, 137
Dopamine D_2-like receptor agonist 227
Dopaminergic neuron 161

Eicosapentaenoic acid (EPA) 137
Elastase 185, 193
Endothelin receptor 307
Endothelin-1 315
Eosinophil 89
17β-Estradiol 311
Excitatory synaptic transmission 251
Extracellular matrix 117
Extrahepatic organ 219

Fish oil 137
Free fatty acid release 41
Functional improvement 227

G protein 23
GABA current 169
Gastrointestinal tract 53
Gastroprokinetic agent 53
Glomerulonephritis 129
Glutamate 1
Glycine current 169
Goblet cell 71
Growth 117

Hamster (BIO 53.58) 23
Heart (rat) 31
Heart failure 23
Hemiparkinsonism 227
Hepatitis 219, 261
Hippocampus 103
Histamine H_3 receptor 251
5-HT_{1A} receptor 211
5-HT_3 receptor 265
5-HT_4 receptor 53
Hydrogen peroxide 31
Hypoxia/reoxygenation 137

Ileum (guinea pig) 271, 279
Imidapril 79
Inhibition 147
Inhibitory protein factor 1
Interleukin 1β converting enzyme 257
Intracellular signaling 107
Irritable bowel syndrome 211
Irsogladine maleate 293
Isoproterenol 71, 311

Learning behavior 11
Left ventricular ejection fraction (LVEF) 177
Lipid peroxidation 31
Long term potentiation 103
Longitudinal muscle 265

Memory 11
Mesencephalon 161
MKC-242 (5-{3-[((2*S*)-1,4-benzodioxan-2-ylmethyl)amino]propoxy}-1,3-benzodioxole HCl) 211
Monosodium glutamate 247
Morphine 271
Mosapride citrate 53
MPTP 227
Mucosal hydrophobicity 293
Mu-receptor 279
Muscarinic autoinhibition 271, 279
Mutagenesis 301
Myenteric plexus 271, 279
Myocardial infarction 177

Na^+/H^+ exchanger 173
Naftopidil 61
Nasal mucosa (dog) 287
Nephrotoxic serum 129
Neuronal death 161
Neurotransmitter transport 1
Nitric oxide 205, 265, 287
Nitroxidergic nerve 287
NK-104 ((+)-monocalcium bis{(3*R*,5*S*,6*E*)-7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolyl]-3,5-dihydroxy-6-heptenoate}, CAS 147526-32-7) 117
N-methyl-D-aspartate 161
Nociceptin/orphanin FQ receptor 301
Noradrenaline uptake and release 155

Opioid receptor 301

Pancreatic elastase 185, 193
Pancreatic enzyme 185
Pancreatitis 185, 193
PF1022A (cycle(D-lactyl-L-*N*-methylleucyl-D-3-phenyllactyl-L-*N*-methylleucyl-D-lactyl-L-*N*-methylleucyl-D-3-phenyllactyl-L-*N*-methylleucyl)) 235
Phosphodiesterase 147
Phosphodiesterase 5 inhibitor 99
Phospholipid 293
Platelet 107
Polymerase chain reaction (PCR) 219
Polymorph 235
Postural hypotension 61
Prazosin 61
Presynaptic regulation 1
Prostate 307
Proteinuria 129
Proximal colon (guinea pig) 265
Psychosis 11
Pulmonary dysfunction 185
Purification 147

Radioligand binding 53
Ranolazine 31
mu-Receptor 279
Relaxation 265
Reserpine 155
Reverse transcription-polymerase chain reaction (RT-PCR) 61
Rolipram 147

Sephadex bead 89
Serotonin 107
Site-directed mutagenesis 301
Slice culture 161
Smooth muscle cell 117
Sodium nitroprusside 205
Spontaneously hypertensive rat 79
SS320A ((−)-(*R*)-2-amino-3-(3-hydroxypropylthio)propionic acid) 71
Stress 211
Synaptic vesicle 1
T-588 ((*R*)-(−)-1-(benzo[*b*]thiophen-5-yl)-2-[2-(*N*,*N*-diethylamino)ethoxy]ethanol hydrochloride) 155
Talipexole 227
Taurocholate 193
Testosterone 307
Thrombolysis 177
Thrombosis (coronary artery) 177
Tissue-type plasminogen activator (modified) 177
Transforming growth factor alpha (TGF-α) 173
Trypsin 185
Tyrosine hydroxylase 205
Uncoupling protein 247
Vasodilatation 287
[Arg^8]-Vasopressin 103
Wistar-Kyoto rat 129